

```

    System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject) +66
    System.Data.ProviderBase.DbConnectionPool.GetConnection(DbConnection owningObject)
+479
    System.Data.ProviderBase.DbConnectionFactory.GetConnection(DbConnection
owningConnection) +108
    System.Data.ProviderBase.DbConnectionClosed.OpenConnection(DbConnection
outerConnection, DbConnectionFactory connectionFactory) +126
    System.Data.SqlClient.SqlConnection.Open() +125
    System.Web.DataAccess.SqlConnectionHolder.Open(HttpContext context, Boolean
revertImpersonate) +95
    System.Web.DataAccess.SqlConnectionHelper.GetConnection(String connectionString,
Boolean revertImpersonation) +206
    System.Web.Security.SqlMembershipProvider.GetPasswordWithFormat(String username,
Boolean updateLastLoginActivityDate, Int32& status, String& password, Int32&
passwordFormat, String& passwordSalt, Int32& failedPasswordAttemptCount, Int32&
failedPasswordAnswerAttemptCount, Boolean& isApproved, DateTime& lastLoginDate,
DateTime& lastActivityDate) +827
    System.Web.Security.SqlMembershipProvider.CheckPassword(String username, String
password, Boolean updateLastLoginActivityDate, Boolean failIfNotApproved, String&
salt, Int32& passwordFormat) +105
    System.Web.Security.SqlMembershipProvider.ValidateUser(String username, String
password) +106

System.Web.UI.WebControls.Login.AuthenticateUsingMembershipProvider(AuthenticateEventA
rgs e) +60
    System.Web.UI.WebControls.Login.OnAuthenticate(AuthenticateEventArgs e) +129
    System.Web.UI.WebControls.Login.AttemptLogin() +127
    System.Web.UI.WebControls.Login.OnBubbleEvent(Object source, EventArgs e) +101
    System.Web.UI.Control.RaiseBubbleEvent(Object source, EventArgs args) +37
    System.Web.UI.WebControls.Button.OnCommand(CommandEventArgs e) +125
    System.Web.UI.WebControls.Button.RaisePostBackEvent(String eventArgument) +167

System.Web.UI.WebControls.Button.System.Web.UI.IPostBackEventHandler.RaisePostBackEven
t(String eventArgument) +10
    System.Web.UI.Page.RaisePostBackEvent(IPostBackEventHandler sourceControl, String
eventArgument) +13
    System.Web.UI.Page.RaisePostBackEvent(NameValueCollection postData) +36
    System.Web.UI.Page.ProcessRequestMain(Boolean includeStagesBeforeAsyncPoint,
Boolean includeStagesAfterAsyncPoint) +5563

```

Server Error in '/myapp' Application.

A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Description: An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it originated in the code.

Exception Details: System.Data.SqlClient.SqlException: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source Error:

An unhandled exception was generated during the execution of the current web request. Information regarding the origin and location of the exception can be identified using the exception stack trace below.

Stack Trace:

```
[SqlException (0x80131904): A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)]
  System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection) +5009598
  System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning() +234
  System.Data.SqlClient.TdsParser.Connect(ServerInfo serverInfo, SqlInternalConnectionTds connHandler, Boolean ignoreSniOpenTimeout, Int64 timerExpire, Boolean encrypt, Boolean trustServerCert, Boolean integratedSecurity) +341
  System.Data.SqlClient.SqlInternalConnectionTds.AttemptOneLogin(ServerInfo serverInfo, String newPassword, Boolean ignoreSniOpenTimeout, TimeoutTimer timeout, SqlConnection owningObject) +129
  System.Data.SqlClient.SqlInternalConnectionTds.LoginNoFailover(ServerInfo serverInfo, String newPassword, Boolean redirectedUserInstance, SqlConnection owningObject, SqlConnectionString connectionOptions, TimeoutTimer timeout) +270
  System.Data.SqlClient.SqlInternalConnectionTds.OpenLoginEnlist(SqlConnection owningObject, TimeoutTimer timeout, SqlConnectionString connectionOptions, String newPassword, Boolean redirectedUserInstance) +195
  System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, Object providerInfo, String newPassword, SqlConnection owningObject, Boolean redirectedUserInstance) +232
  System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection) +185
  System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnection owningConnection, DbConnectionPool pool, DbConnectionOptions options) +33
  System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject) +524
```